

## Numb and Numbllike regulate sarcomere assembly and maintenance

Baolei Wang, ... , Min Yang, Shujuan Li

*J Clin Invest.* 2022;132(14):e162883. <https://doi.org/10.1172/JCI162883>.

### Corrigendum

Original citation: *J Clin Invest.* 2022;132(3):e139420. <https://doi.org/10.1172/JCI139420> Citation for this corrigendum: *J Clin Invest.* 2022;132(14):e162883. <https://doi.org/10.1172/JCI162883> Following the publication of this article, the authors noted several errors that require correction. All observations ascribed to day p60 were actually made at p60.5. Furthermore, in Figure 3E, construct 6 was inaccurately depicted. The correct panel is shown below. The description of Figure 3E in the Results section has also been corrected, as below: The results indicate that Numb (173–322 aa) and Numbllike (1–366 aa) were the dominant residue sequences that interacted with ACTC1 and that Numbllike (1–205 aa) and Numbllike (367–604 aa) had negligible functional interactions with ACTC1 (Figure 3F). After blasting the Numb (173–322 aa) and Numbllike (1–366 aa) amino acid sequences in the NCBI database, we found that these 2 sequences were highly conserved, indicating the potentially critical role of these conservative domains in  $\alpha$ -Actin binding (Supplemental Figure 9A). In the Discussion section, a corrected sentence has been included, as below: Since the expression of MLC-2v is restricted within the ventricular chamber throughout mouse embryonic development, this mouse line serves as a great platform to study how Numb and Numbllike affect sarcomere assembly in ventricular CMs at the early stage (19, 26). The text and Figure 3E have been updated in the HTML version and PDF with the correct [...]

**Find the latest version:**

<https://jci.me/162883/pdf>



# Corrigendum


## Numb and Numbl like regulate sarcomere assembly and maintenance

Baolei Wang, Min Yang, and Shujuan Li

Original citation: *J Clin Invest.* 2022;132(3):e139420. <https://doi.org/10.1172/JCI139420>.

Citation for this corrigendum: *J Clin Invest.* 2022;132(14):e162883. <https://doi.org/10.1172/JCI162883>.

Following the publication of this article, the authors noted several errors that require correction. All observations ascribed to day p60 were actually made at p60.5. Furthermore, in Figure 3E, construct 6 was inaccurately depicted. The correct panel is shown below.



The description of Figure 3E in the Results section has also been corrected, as below:

The results indicate that Numb (173–322 aa) and Numbl like (1–366 aa) were the dominant residue sequences that interacted with ACTC1 and that Numbl like (1–205 aa) and Numbl like (367–604 aa) had negligible functional interactions with ACTC1 (Figure 3F). After blasting the Numb (173–322 aa) and Numbl like (1–366 aa) amino acid sequences in the NCBI database, we found that these 2 sequences were highly conserved, indicating the potentially critical role of these conservative domains in  $\alpha$ -Actin binding (Supplemental Figure 9A).

In the Discussion section, a corrected sentence has been included, as below:

Since the expression of MLC-2v is restricted within the ventricular chamber throughout mouse embryonic development, this mouse line serves as a great platform to study how Numb and Numbl like affect sarcomere assembly in ventricular CMs at the early stage (19, 26).

The text and Figure 3E have been updated in the HTML version and PDF with the correct information.

The authors regret the errors.